SAN

PF系列反击式破碎机

PF Series Impact Crusher




SANME

PF系列反击式破碎机 PF Series Impact Crusher



结构图 Structure Drawing





- 1. 后箱体 Rear Case
- 2. 反击衬板 Impact Plate
- 3. 反击架 Impact Ract
- 4. 衬板 Liner Plate
- 5. 进料口 Feed Opening
- 6. 底座 Frame
- 7. 板锤 Blow Bar
- 8. 转子架 Rotor Support

PF系列反击式破碎机主要用于中碎,可破碎抗压强度不超过320Mpa的物料,适宜生产高等级公路、水电、建筑等行业用石料。

PF Series Impact Crusher is mainly used in secondary crushing, and can crush material its crushing compression strength not more than 320 Mpa. It is suitable to produce aggregate for highway, hydroelectric and building material industry, etc.

外形尺寸 Dimensions





特点及优势:

- ◎多腔均匀破碎,适宜破碎硬岩;
- ◎均整板结构使排料更呈小粒径和立方体形, 无内裂纹;
- ◎低矮的大进料口,便于生产线布置和增大进料尺寸;
- ◎全液压开启,便于维修及更换易损件;
- ◎新型耐磨材料使板锤、反击板和衬板使用寿命更长。

Features and Benefits:

- OMany cavity to crush, suitable for crushing hard rock
- Reasonable design of leveling plate making charge finer and cubic without interior cracks
- Low and big feed opening makes the production line easy to arrange and increase the size of feeding material.
- Use the hydraulic to open, easy to maintain and change wear-parts
- New anti-abrasive material makes longer service life of impact bar, impact plate and liner.

技术参数 Technical Data

型号 Model	规格 Rotor Spec(mm)	进料口尺寸 Feed Opening Size(mm)	最大进料边长 Max Feed Edge(mm)	生产能力(吨/小时) Capacity(t/h)	电机功率 Motor Power(kw)	外型尺寸 Overall Dimensions(L×W×H)mm	重量 Weight(t)
PF-1007	Ø1000×700	400×730	300	30-50	37-55	2400×1558×2660	9.5
PF-1010	∅1000×1050	400×1080	350	50-80	55-75	2400×2250×2620	12.2
PF-1210	Ø1250×1050	400×1080	350	70-120	110-132	2690×2338×2890	14.9
PF-1214	Ø1250×1400	400×1430	350	130-180	132-160	2690×2688×2890	18.6
PF-1310	Ø1300×1050	490×1170	400	80-140	110-160	2780×2478×2855	16.2
PF-1315	Ø1320×1500	860×1520	500	160-250	180-260	3096×3273×2667	19.3
PF-1415	∅1450×1500	1145×1520	950	220-450	220-315	3745×3022×3519	27
PF-1520	∅1520×2000	830×2050	700	300-550	315-440	3581×3560×3265	38.7
PF-1818	Ø1800×1800	1600×1850	1000	600-850	650-900	4180×4200×4900	75



上海山美重型矿山机械有限公司(德国哈兹马克合资公司) SHANGHAI SANME MINING MACHINERY CO., LTD. (JV WITH HAZEMAG GERMANY)



地址: 上海市奉贤区青村镇奉村路 258 号电话: 021-5756 6166 021-5820 2968 传真: 021-5756 6188 021-5820 0089

邮编: 201414

网址: www.shsmzj.com

电邮: info@sanmecrusher.com

Add: No.258, Fengcun Road, Qingcun County, Fengxian District, Shanghai 201414, China Te1: +86 21 5756 6166 +86 21 5820 2968 Fax: +86 21 5756 6188 +86 21 5820 0089

Website: www.sanmecrusher.com E-mail: sales@sanmecrusher.com

Our products are constantly updated and improved, we reserve the right to change parameters and design without advance notification of customers.

If there are any discrepancy and difference between color of product appearance and actual machine type in the picture, color standard is subject to actual object.

③本手册中的配置不一定是出厂标准配置, 购买时请详细咨询经销商。

②我们的产品在不断的更新和改进中, 我们保留在未事先告知用户的情况下, 更改参数及设计的权利。

[◎]照片中产品外观颜色与实际机型存在差异, 颜色标准以实物为准。